


5/04/05

L12 ANSWER 1 OF 17 CAPLUS COPYRIGHT 2005 ACS on STN
AB This invention provides compds. and methods for using them to inhibit the growth of a microorganism that expresses peptide deformylase. Drugs such as mitomycin, bleomycin, ciprofloxacin, can be bound to linkers.
AN 2004:430717 CAPLUS
DN 140:429025
TI Peptide deformylase activated prodrugs
IN Ballatore, Carlo; Doppalapudi, Venkata Ramana; Sergeeva, Maria V.
PA Newbiotics, Inc., USA
SO PCT Int. Appl., 41 pp.
CODEN: PIXXD2
DT Patent
LA English
FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	WO 2004043400	A2	20040527	WO 2003-US36124	20031114
	WO 2004043400	A3	20040930		
	W:	AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW			
	RW:	BW, GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG			
	US 2004236096	A1	20041125	US 2003-714255	20031114
PRAI	US 2002-426771P	P	20021114		
OS	MARPAT 140:429025				
IT	691883-26-8P				
	RL: SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)				
	(peptide deformylase activated prodrugs)				
RN	691883-26-8 CAPLUS				
CN	Phosphonic acid, [1-[(2S)-2-(formylamino)-4-(methylthio)-1-oxobutyl]amino]propyl]-, 5-chloro-2-(2,4-dichlorophenoxy)phenyl phenyl ester (9CI) (CA INDEX NAME)				

application

Absolute stereochemistry.



10/714,255
10691624

5/04/05

=> s l11

L12 17 L11

=> d abs bib hitstr 1-17

L12 ANSWER 1 OF 17 CAPLUS COPYRIGHT 2005 ACS on STN

AB This invention provides compds. and methods for using them to inhibit the growth of a microorganism that expresses peptide deformylase. Drugs such as mitomycin, bleomycin, ciprofloxacin, can be bound to linkers.

AN 2004:430717 CAPLUS

DN 140:429025

TI Peptide deformylase activated prodrugs

IN Ballatore, Carlo; Doppalapudi, Venkata Ramana; Sergeeva, Maria V.

PA Newbiotics, Inc., USA

SO PCT Int. Appl., 41 pp.

CODEN: PIXXD2

DT Patent

LA English


FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	WO 2004043400	A2	20040527	WO 2003-US36124	20031114
	WO 2004043400	A3	20040930		
	W:	AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW			
	RW:	BW, GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG			
	US 2004236096	A1	20041125	US 2003-714255	20031114
PRAI	US 2002-426771P	P	20021114		
OS	MARPAT 140:429025				
IT	691883-26-8P				

RL: SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)
(peptide deformylase activated prodrugs)

RN 691883-26-8 CAPLUS

CN Phosphonic acid, [1-[(2S)-2-(formylamino)-4-(methylthio)-1-oxobutyl]amino]propyl]-, 5-chloro-2-(2,4-dichlorophenoxy)phenyl phenyl ester (9CI) (CA INDEX NAME)



Absolute stereochemistry.

5/04/05

L12 ANSWER 2 OF 17 CAPLUS COPYRIGHT

10/714255
~~10774562~~